

Hik-Connect

Mobile Client

SPEC
V3.10.0

Software Information

Name: Hik-Connect Mobile Client Software

Version: V3.10.0


Android:

System Requirement: Android 4.1 or later

iOS:

System Requirement: iOS 8.0 or later





Introduction

The Hik-Connect app is designed for managing Hikvision products, including DVRs, NVRs, cameras, video intercom devices, and security control panels, etc. With the app, you can watch real-time surveillance video or play it back at any place when Wi-Fi, 3G, or 4G networks are available. When alarms of your devices are triggered, you can get instant notifications the app.

Key features

- Account management
- Adds devices via scanning QR code
- Adds devices via IP/Domain
- Adds devices via Hik-Connect Domain.
- Multiple window division modes: 1-division, 4-division, 9-division, 12-division, and 16-division
- Adds devices to the Favorites folder
- Two-way audio intercom

- Videos and pictures encryption
- Changes image qualities
- PTZ control
- 8X digital zoom
- Starts playback of 4 cameras simultaneously
- Manages pictures and videos
- Instant alarm notifications with pictures and videos
- Updates devices remotely
- Answers calls from doorbells/video intercom devices
- Arms security control panel remotely
- Shares devices to others and grants operation permissions to them
- Login by fingerprint

Functional Parameters

Account Management	Registering a new account via email address or mobile phone number
	Account login and logout
	Account information settings
	Changing account password
	Retrieving password
	Visitor mode
	Login by fingerprint
Live View	> 1/4/9/12/16 window division
	> Audio control
	Max. 8X digital zoom
	Capture and recording
	> Full-screen mode
	> Two-way audio
	Changing live view quality
	Enabling fisheye mode
	➤ Hardware decoding (Only supported by devices added via IP/Domain)
	➤ Controlling PTZ
	Zooming in and out
	Adjusting PTZ speed
PTZ	Controlling focus and iris
	Setting and calling preset
	Auto Scan (The device should support the function)
	 Auto-Tracking (The device should support the function)
	Searching videos by time for playback
Playback	4-window division mode for playback simultaneously
	Controlling audio
	Capture and recording

	-
	Dragging timeline to set playback start time
	Adjusting playback speed
	➤ Hardware decoding
	Adding and deleting device
	Supports adding the devices which support Hik-Connect service
	(hereafter simplified as "Hik-Connect device" via Hik-Connect
	domain or scanning QR code.
	Supports adding devices via IP/Domain.
	Supports adding detected online devices which are in the same
	local area network with the phone or tablet.
	Editing device name and channel name
	Displaying storage status and device version (for Hik-Connect Devices)
	Detecting device version and remotely upgrading
Device	Videos and pictures encryption (for Hik-Connect Devices)
Management	Sharing channels to other account.
	 Setting partition and zones (for security control panel)
	Unbinding devices from other accounts with devices' password
	Resetting devices' password
	Remotely Configuring devices
	Changing device verification code
	> Setting DDNS (Only supported by devices added via Hik-Connect
	Domain or Scanning QR Code)
	Transferring devices to another's account
	Sharing device(s) to other users
	Adding devices to Favorites
	Arming and disarming remotely
Alarm Notification	Receiving alarm (event) notifications
Alarm Nouncation	Viewing alarm (event) information, related pictures, and related
	videos
	Receiving a notification when others call
Domotoly Call	 Remotely accepting or declining the call (for doorbells)
Remotely Call	Remotely opening door
	Viewing call logs
	Configuration of the partitions, detectors and sensors, etc.
Security control	> Stay arm/Away arm/Disarm
panels	Clearing alarms
parieis	Receiving alarm notifications
	> Bypassing some zones
	Managing local pictures and videos
Pictures and Videos Management	Viewing pictures and playing videos
	Downloading pictures and videos to the phone
	Sharing pictures and videos to others
System Settings	> Enabling push notification

	·		
	 Enabling/disabling saving device parameters 		
	Enabling/disabling hard-decoding preferred		
	Enabling auto-receiving alarm (event) information when the phone is		
	powered on		
	Viewing traffic statistic		
Resuming latest live view			
	Displaying floating live view on the device list		
	Displaying channel-zero		
	Resetting password for DVR and NVR		
	> Setting Wi-Fi		
	New versions online detection		
	➤ Help and feedbacks		
	> Simplified Chinese, English, Russian, Estonian, Bulgarian, Hungarian,		
Language	Greek, German, Italian, Czech, Slovak, French, Polish, Dutch,		
	Portuguese, Spanish, Romanian, Danish, Swedish, Norwegian, Finnish,		
	Croatian, Slovenian, Serb, Turkish, Korean, Traditional Chinese, Thai,		
	Vietnamese, Japanese, Hebraism, Latvian, Lithuanian, Brazilian		
	Portuguese, Arabic, Farsi, Indonesian, Uzbek, Kazak		

Technical Parameters

Module	Item	Parameters
	Max. Connected Devices (Hik-Connect Domain)	1024
	Max. Channels Can Be Selected for Live View or	256
	Playback	
	Max. Shared Accounts (By One Channel)	64
	Max. Streaming Number (One channel/ Live	20
	View)	
	Max. Cameras for Live View Simultaneously	16
	Max. Cameras for Playback Simultaneously	4 (*supported model only)
	Max. Favorites Folders	32
	Max. Users for Receiving Shared Devices	100
	Video Encoding	H.264,MPEG4,MJPEG,
		H.264+,H.265,H.265+
	Audio Encoding	G711_A,G711_U,AAC
	Compatible Devices	DVRs, NVRs, cameras, video intercom
		devices and security control panels with
		Hik-Connect Function.