## Instructies voor toevoegen IP camera aan NVR

1. Vanuit het hoofdmenu navigeer naar Camera.



## 2. Selecteer Zoek Apparaat

				TING	SET	6			
SYSTEM		🛃 SY	STORAGE						CAMERA
			Upgrade	īrmware	F	Stati.	Device	Remote	REMOTE IMAGE ENCODE CAM NAME
dress	MAC A	ne	Device Nam	Port	ess *	/ IP Ad	Modify	26	
0b:14:9	4c:11:bf		M70-4U	37777	17.178	172.1		1	
6a:5f.c	90.02 af		HCVR	37777	17.106	172.1		2	
5e.2c.	90:02 as	W00003	PZB4LN078	37777	17.77	172.1		3	
42:70:1	90:02:a	W00018	YZC4KZ078	37777	17,105	172.1		4	
:67:b0:	90:02 as		NVR	37777	17.35	172.1	6	5	
34:49:	00:dd:2		MH	37777	17.111	172.1	E 💩	6	
								-	
1	lone	Filter (N				A	Search	Delta	
							Jevice	Magear	
e Name	Devic	Port	IP Address	Status	elete	Modity	nnel I	Cha	
1	HCVF	37777	172.16.17.106		×	1		1	
_A048V	PZC4	37777	172.16.17.180	- 10 C		1		2	
MW201	PZC4	37777	172.16.17.67	6		1		3	
GW643	PZC4	37777	172.16.17.181	0		1		4	
W155	PZC4	37777	172.16.17.17	0		1		5	
S96PAV	1M01	37777	172.16.17.149	0		1		6	
	1M01	37777 Cancel	172.16.17.149 Mbps	O 2Mbps/20	× th: 173.7 dd)	Bandw Manual	ing/Total	Remain	

U kunt hier ook komen door met de rechtermuisknop te klikken en te navigeren naar "Remote Device"



3. Selecteer de camera's welke u toe wilt voegen, druk nu op "Add"

CAMERA	<b>WINETW</b>	ORK	10	EVEN	π		s 🛃	YSTEM	
EMOTE MAGE	Remote D	levice	Status		Firmware	Upgrade			
NCODE	26	Modify	IP Add	ress *	Port	Device Na	me	MAC Address	1
CAMINAME	22	۲	172.16	17.153	37777	PZB4LN08	7W00058	90:02 a9:6c:81	
	23		172.16	17.37	37777	TestCam		4c:11:bf:85:6c;	4
	24		172.16	17.176	37777	1A010E9P	AA00002	4c:11:bf:9c:dc:	¢
	25	× •	172.16	17.60	37777	1A010E6P	AX00003	4c:11:bf:97:9d:	5
	26	2.	172.16	.17.28	37777	1H026C3F	AN00001	90:02:a9:6c:ae	E.
				-					h
	Contraction of the local division of the loc	and the second second		- 1			Educ 6	lines	
	(Device :	Search	Ad	_			under G	Nome	-
	Added D	evice	Addity (		Status	IP Address	Port	Device Nam	
	Added D	evice nel N	Addity C	elete	Status	IP Address	Port	Device Nam	
	Added D	search Iovice nel N	Addity C	elete	Status	IP Address 172.16.17.106 172.16.17.180	Port 37777 37777	Device Nam HCVR PZC4LA048	
	Added D Chan 1 2 3	vevice nel N	Addity [	)elete × ×	Status	IP Address 172.16.17.106 172.16.17.180 172.16.17.67	Port 37777 37777 37777	Device Nam HCVR PZC4LA048 PZC4MW20	v
	Added D Chan 1 2 3 4	revice	Addity [	)elete × × ×	Status	IP Address 172.16.17.106 172.16.17.180 172.16.17.180 172.16.17.181	Port 37777 37777 37777 37777	Device Nam HCVR PZC4LA048 PZC4MW20 PZC4GW643	v 1 3
	Added D Chan 1 2 3 4 5	vevice nel N	Addity [	Delete × × ×	Status	IP Address 172.16.17.106 172.16.17.180 172.16.17.181 172.16.17.181 172.16.17.17	Port 37777 37777 37777 37777 37777 37777	Device Nam HCVR PZC4LA048 PZC4MW20 PZC4GW64 PZC4LW155	v 11 33
	Added D Chan 1 2 3 4 5 6	vevice nel N	Addity [	Delete X X X X X X X X X X X X	Status	IP Address 172.16.17.106 172.16.17.180 172.16.17.181 172.16.17.181 172.16.17.17 172.16.17.149	Port 37777 37777 37777 37777 37777 37777	Device Nam HCVR PZC4LA048 PZC4GW64 PZC4GW64 PZC4LW155 1M01596PA	V 11 31

		6	SE	TTING			
CAMERA	<b>WETWORK</b>	WORK 📷 EVENT			<b>5</b> S	ISTEM	
REMOTE	Remote Device	Stat	us	Firmware	Upgrade		
ENCODE	26 Mo	dity IP A	ddress •	Port	Device Na	me	MAC Address
ENCODE	22	172	16.17.153	37777	PZB4LN08	7W00058	90:02:a9:5c:81:
CAM NAME	23	172	16.17.37	37777	TestCam		4c:11.bf.85.6c:4
	24	172.	16.17.176	37777	1A010E9P	AA00002	4c:11:bf:9c:dc:c
	25 🗸 🕯	172	16.17.60	37777	1A010E6P	AX00003	4c:11:bf:97.9d.f
	26 🗸 🤘	172.	16.17.28	37777	1H026C3P	AN00001	90:02:a9:5c:ae:
			N				•
	Device Searc	ih) 🦳 🗸	Add T			Filter (1	lone
	Added Device	,					
	Channel	Modity	Delete	Status	IP Address	Port	Device Name*
	1	1	×	0	172.16.17.106	37777	HCVR
	2	1	×	6	172.16.17.180	37777	PZC4LA048V
	3	1	×	- C	172.16.17.67	37777	PZC4MW201
		100			172 16 17 181	37777	PZC4GWE43
	4	/		_			1
	4 5	1	÷		172.16.17.17	37777	PZC4LW155
	4 5 6	1	××		172.16.17.17 172.16.17.149	37777 37777	PZC4LW1551 1M01596PAV -

Het is ook mogelijk om de camera's handmatig toe te voegen.

Toets het IP adres van de IP camera in, het gebruikersnaam en wachtwoord. Standaard gebruikersnaam en wachtwoord is "admin".

		Manual Add		
Channel Manufacturer	6 • Private •			
IP Address TCP Port User Name Password Decode Buffer Remote Channel No.	(192 168.0.0 37777 admin •••••• Default 1		×	
		Save Cancel		_

Aan de hand van het model van de recorder is het ook mogelijk om een smart search te doen in het hoofdmenu.

