

## Nivian 5megapixel

Nivian IP Camera

Resolution 5Mpx (2592x1944)

H.265

18 IR LEDs range 30 m

Plug&Play P2P Installation

Recording on microSD card

Nivian Connect App for Smartphone

Nivian

IP camera

1/2.7" Progressive CMOS

5 Megapixel (2592 x 1944)

3.6 mm Lens

0 Lux

IR range 30 m

Compression H.265/H.264

3D-DNR

RJ-45 10/100 BaseT

Weatherproof IP66

IR Cut

Remote control through Nivian Connect App

ONVIF Compatible

Brand

Nivian

Image sensor

1/2.7" Progressive CMOS

Resolution	5 Megapixel (2592 x 1944)
Coding	5MP(2592x1944), 4MP(2592x1520), 3MP(2048x1520),1080P(1920x1080), 960P(1280x960), 720P(1280x720) (1-15fps)
Compression	H.265/H.264
Lens	3.6 mm
Minimum illumination	0 Lux / 18 LEDs SMD (30 m)
Audio	Integrated microphone
Viewing angle	90°
Network interface	RJ-45 10/100M
Network protocol	HTTP?UDP?SMTP?FTP?DHCP?DDNS?NTP?UPNP, RTSP, TCP
Interoperability	RTSP, WPS
Plug&Play Access	P2P
Events notification	Email, FTP & SD card video & image recording
Security	Password and multi-level user management
Remote access	App for Smartphone / Tablet
Internal memory	MicroSD slot, max 128 GB (not included)
Protection Grade	IPP66
Power supply	DC 12 V / 7   POE W
Dimensions	100.55 (?) x 89.45 (h) mm / 300g

