Step by Step Instructions

1. From the Main Menu Select Camera

	6	MAIN MENU		_	
OPERATION	BACKUP	SHUT DOWN			
INFO SYSTEM		NETWORK	LOG		
	NETWORK		STORAGE	SYSTEM	

2. Select Remote Device \rightarrow Select Device Search

			SI	TTING				
CAMERA		RK	TR EVEN	π		i 🛃 Sh	(STEM	
REMOTE	Remote Dev	ice	Status	Firmware	Upgrade			
ENCODE	26 N	fodity 1	P Address *	Port	Device Nam	e .	MAC Address	-
ENCODE	1		172.16.17.178	37777	M70-4U		4c:11:bt:0b:14:	
CAMINAME	2		172.16.17.106	37777	HCVR		90:02:a9:6a.5h.	
	3		172.16.17.77	37777	PZB4LN078	W00003	90:02:a9:5e:2c:	
	4 5		172.16.17.105	37777	YZC4KZ078	W00018	90:02:a9:42:70:	i I
	6		172.16.17.35	37777	NVR		90:02 a9:67:b0:	
	6		172.16.17.111	37777	MH		00:dd:23:34:49:	
	and the second se	-						٠
	Delte Sea	arch)	Add			Filter (N	lane	D
	Madea Devi	ice						
	Channel	I Mo	dily Delete	Status	IP Address	Port	Device Name	-
	1		/ *		172.16.17.106	37777	HCVR	r
	2		/ X	- C - C - C	172.16.17.180	37777	PZC4LA048V	
	3		× ×	0	172.16.17.67	37777	PZC4MW201	
	4		/ ×		172.16.17.181	37777	PZC4GW643	į.
	5		/ 🔏	0	172.16.17.17	37777	PZC4LW155	1
	6		/ ×	0	172.16.17.149	37777	1M01596PA\	•
					and the second s			

You can also get to this selection by right clicking on any view which will show a sub menu for remote device search.



3. Check mark cameras to be added \rightarrow Select add.

CAMERA Image EVENT STORAGE SYSTEM REMOTE MAGE ENCODE 26 Modey IP Address * Port Device Name MAC Addres 24 172.16.17.153 37777 P2B4LN087W00058 90:02:a9:6c:3 25 172.16.17.176 37777 TestCarm 4c:11:b1:9:c 25 172.16.17.16 37777 1A010EsPAA00002 4c:11:b1:9:c 26 172.16.17.28 37777 1A010EsPAA00002 4c:11:b1:9:c 25 172.16.17.28 37777 1A010EsPAA00001 90:02:a9:6c:3 26 172.16.17.160 37777 1A010EsPAA00001 90:02:a9:6c:3 26 172.16.17.160 37777 1A010EsPAA00001 90:02:a9:6c:3 26 172.16.17.180 37777 HCVR 27 172.16.17.180 37777 HCVR 28 172.16.17.170 37777 PZddress Port 29 2 2 2 3777 HCVR 21 2 2 3777 PZddress Port Device Na 3 <t< th=""><th>-</th><th></th><th></th><th></th><th>SE</th><th>TTING</th><th></th><th></th><th></th><th></th></t<>	-				SE	TTING				
REMOTE IMAGE Remote Device Status Firmware Upgrade 26 Modify IP Address * Port Device Name MAC Address 22 172.16.17.153 37777 P2B4LN087W00058 90.02.a9.6c: 23 172.16.17.173 37777 TestCarm 4c:11.bl.95.6 24 172.16.17.176 37777 1A010E9PAA.00002 4c:11.bl.95.6 25 172.16.17.160 37777 1A010E6PAX.00003 4c:11.bl.97.9 25 172.16.17.28 37777 1H026C3PAN.00001 90.02:a9.6c: 172.16.17.28 37777 1H026C3PAN.00001 90.02:a9.6c: 172.16.17.106 37777 HCVR None Added Device 172.16.17.163 37777 HCVR 2 3 3 172.16.17.180 37777 2 3 3 172.16.17.180 37777 2 3 3 172.16.17.180 37777 2 3 3 172.16.17.181 37777 3	CAMERA	TINETWO	RK.	-	EVEN	π		s 🛃	YSTEM	
ENCODE CAM NAME 26 Modily IP Address Port Device Name MAC Addres 23 172.16.17.153 37777 P2B4LN087W00058 90:02.a9.6c: 23 172.16.17.37 37777 TestCam 4c:11.b1:85.6 24 172.16.17.176 37777 1A010E9PAA00002 4c:11.b1:97.9 25 172.16.17.28 37777 1A010E9PAA00003 4c:11.b1:97.9 26 172.16.17.28 37777 1A010E5PAX00001 90:02:a9.6c: 172.16.17.28 37777 1H026C3PAN00001 90:02:a9.6c: Device Search Add Filter None Added Device Channel Modily Delete Status IP Address Port Device Na 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	REMOTE	Remote De	vice	Status		Firmware	Upgrade			
CAM NAME 22 172.16.17.153 37777 P2B4LN087W00058 90:02.a9.6c: 23 172.16.17.37 37777 1A010ESPAA00002 4c:11.bl:95.6 24 172.16.17.176 37777 1A010ESPAA00002 4c:11.bl:95.6 25 172.16.17.28 37777 1A010ESPAA00003 4c:11.bl:97.9 26 172.16.17.28 37777 1A010ESPAN00001 90:02.a9.6c: 172.16.17.28 37777 1A010ESPAX00003 4c:11.bl:97.9 26 172.16.17.28 37777 1H026C3PAN00001 90:02.a9.6c: Device Search Add Filter None Added Device 172.16.17.180 37777 HCVR 2 2 3 172.16.17.180 37777 2 3 0 172.16.17.67 37777 PZC4LA04 3 2 172.16.17.181 37777 PZC4LA04 4 3 172.16.17.181 37777 PZC4MW2 5 3 172.16.17.171 37777 PZC4GW6	ENCODE	26	Modify	P Add	ress •	Port	Device N	ame	MAC Address	
CAM NAME 23 172.16.17.37 37777 TestCarm 4c:11.bt.95.6 24 172.16.17.176 37777 1A010E9PAA00002 4c:11.bt.9c.c 25 172.16.17.60 37777 1A010E6PAX00003 4c:11.bt.9c.c 25 172.16.17.28 37777 1A010E6PAX00003 4c:11.bt.9c.c 26 172.16.17.28 37777 1H026C3PAN00001 90:02:a9:6c: Device Search Add Filter None Added Device Channel Modify Delete Status IP Address Port Device Na 1 1 X 172.16.17.106 37777 HC/R None Added Device 172.16.17.106 37777 PC4LA04 172.16.17.106 37777 PC4LA04 3 X 172.16.17.181 37777 PC4LA04 172.16.17.181 37777 PC4LA04 4 X 172.16.17.181 37777 PC4LA04 172.16.17.149 37777 PC4LA04 5 X 172.16.17.149 3777	ENCODE	22		172.16	17.153	37777	PZB4LN0	87W00058	90:02 a9.6c:81	
24 172.16.17.176 37777 1A010E9PAA00002 4c:11.bl/9c:0 25 172.16.17.60 37777 1A010E6PAX00003 4c:11.bl/97.9 26 172.16.17.28 37777 1H026C3PAN00001 90:02:a9:6c: Device Search Add Filter None Added Device 172.16.17.106 37777 HCVR 2 3 172.16.17.106 37777 Patrice Na 1 1 1 172.16.17.106 37777 HCVR 2 3 172.16.17.106 37777 Patrice Na 1 1 172.16.17.106 37777 Patrice Na 1 1 172.16.17.106 37777 Patrice Na 1 1 172.16.17.180 37777 Patrice Na 3 172.16.17.181 37777 Patrice Na 4 1 172.16.17.17 37777 Patrice Na 5 172.16.17.181 37777 Patrice Na 172.16.17.17 37777 6 172.16.17.17 <td>CAM NAME</td> <td>23</td> <td></td> <td>172.16</td> <td>17.37</td> <td>37777</td> <td>TestCam</td> <td></td> <td>4c:11:bl:85:6c:</td> <td>4</td>	CAM NAME	23		172.16	17.37	37777	TestCam		4c:11:bl:85:6c:	4
25 172.16.17.60 37777 1A010E6PAX00003 4c:11:b1:97.97.9 26 172.16.17.28 37777 1H026C3PAN00001 90:02:a9:6c: Device Search Add Filter None Added Device Channel Modify Delete Status IP Address Port Device Na 1		24		172.16	17.176	37777	1A010E9	PAA00002	4c:11:bl:9c:dc:	¢
26 172.16.17.28 37777 1H026C3PAN00001 90:02:a9:6c: Device Search Add Filter None Added Device Channel Modify Delete Status IP Address Port Device Na 1 1 1 172.16.17.106 37777 HCVR 2 1 172.16.17.180 37777 PZC4LA04 3 1 172.16.17.181 37777 PZC4LA04 4 172.16.17.171 37777 PZC4GW6 5 1 172.16.17.171 37777 PZC4GW6 5 172.16.17.171 37777 PZC4LW1 6 172.16.17.171 37777 PZC4LW1 6 172.16.17.149 37777 IM01596P Remaining/Total Bandwidth: 173.77Mbps:2001 Pater Pater Pater		25		172.16	17.60	37777	1A010E6	PAX00003	4c:11:bl:97:9d	6
Device Search Add Filter None Added Device Channel Modify Delete Status IP Address Port Device Na 1 1 172.16.17.106 37777 HCVR 2 172.16.17.180 37777 PZC4LA04 3 172.16.17.181 37777 PZC4LA04 4 172.16.17.181 37777 PZC4LA04 5 172.16.17.181 37777 PZC4UWI 6 172.16.17.181 37777 PZC4LWI 6 172.16.17.149 37777 IM01596P * 172.16.17.149 37777 IM01596P		26		172.16	17.28	37777	1H026C3	PAN00001	90:02:a9:6c:ae	1
Device Search Add Filter None Added Device Channel Modify Delete Status IP Address Port Device Na 1 X 172.16.17.106 37777 HCVR										
Device Search Add Filter None Added Device Channel Modify Delete Status IP Address Port Device Na 1 X 172.16.17.106 37777 HCVR HCVR Added Device None 2 X 172.16.17.106 37777 HCVR Added Device None										th.
Added Patter Notify Added Device Channel Modify Delete Status IP Address Port Device National 1 X 172.16.17.106 37777 HCVR HCVR National		(Daulas Da	and the local division of the local division	-	- 5			Elher G	10 march	
Added Device Channel Modify Delete Status IP Address Port Device Na 1 1 1 172.16.17.106 37777 HCVR 2 1 172.16.17.180 37777 PZC4LA04 3 1 172.16.17.180 37777 PZC4LA04 4 172.16.17.181 37777 PZC4MW2 5 172.16.17.181 37777 PZC4GW6 5 172.16.17.17 37777 PZC4LW1 6 172.16.17.17 37777 PZC4LW1 6 172.16.17.149 37777 IM01596P Remaining/Total Bandwidth: 173.77Mbps:2001 Page 1 Page 1		(Device Se	earch	(AD				cuter (None	P
Channel Modify Delete Status IP Address Port Device Na 1 X 172.16.17.106 37777 HCVR 2 X 172.16.17.180 37777 PZC4LA04 3 X 172.16.17.181 37777 PZC4KW1 4 X 172.16.17.181 37777 PZC4KW1 5 X 172.16.17.17 37777 PZC4KW1 6 X 172.16.17.181 37777 PZC4LW1 6 X 172.16.17.149 37777 IM01596P		Added De	vice							
1 172.16.17.106 37777 HCVR 2 172.16.17.180 37777 PZC4LA04 3 172.16.17.67 37777 PZC4LA04 4 172.16.17.67 37777 PZC4LA04 5 172.16.17.181 37777 PZC4GW6 5 172.16.17.181 37777 PZC4GW6 6 172.16.17.17 37777 PZC4LW1 6 172.16.17.149 37777 IM01596P 1 Manual Arth 173.77Mbps/200Mstan 172.16.17.149 17777		Channe	el l	Modify [Delete	Status	IP Address	Port	Device Nam	-
2 3 4 5 5 7 7 7 7 7 7 7 7 7 7 7 7 7		1		1	×	0	172.16.17.100	37777	HCVR	T
3 4 5 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7		2		1	×	O	172.16.17.180	37777	PZC4LA048	v.
4 172.16.17.181 37777 PZC4GW6 5 172.16.17.17 37777 PZC4LW1 6 172.16.17.17 37777 PZC4LW1 772.16.17.149 37777 1M01596P		3		1	×		172.16.17.67	37777	PZC4MW20	1
5 6 772.16.17.17 172.16.17.149 37777 1M01596P Remaining/Total Bandwidth: 173.77Mbps:200htps Delate Manual Add		4		1	*		172,16,17,18	37777	PZC4GW64	31
6 172.16.17.149 37777 1M01596F		5		2	*		172.16.17.17	37777	PZC4LW155	a
Remaining/Total Bandwidth: 173.77Mbps/200Mbps		6		1	*		172.16.17.149	37777	1M01596PA	γ.
Remaining/Total Bandwidth: 173.77Mbps/200M										Ť.
Remaining Total Bandwidth: 173.77Mbps/2000		Section 10		en de l'a			and the second		1	
Delete Mary rel Add		Remaining	Total	Bandwid	ith: 173	77Mbps/20	00045		-	-
		Dalar			-					
Save Cancel Apply		Delete		Manual A	.00		Save	Cancel	Apply	J

You can also manual add cameras by selecting manual add

_			SE	TTING		_	_
CAMERA	NETWORK		EVEN	π		🛃 S	YSTEM
REMOTE	Remote Device	Statu	is	Firmware	Upgrade		
ENCODE	26 Mod	ity IP Ad	idress •	Port	Device Na	me	MAC Address
ENCODE	22 🕒	172.1	6.17.153	37777	PZB4LN08	7W00058	90:02:a9:6c:81:
CAM NAME	23 🔍 👦	172.1	6.17.37	37777	TestCam		4c:11.bl.85.6c:4
	24 🗔 📦	172.1	6.17.176	37777	1A010E9P	AA00002	4c:11:bf:9c:dc:c
	25 📈 🖨	172.1	6.17.60	37777	1A010E6P	AX00003	4c:11:bf:97:9d:6
	26 🗸 📚	172.1	6.17.28	37777	1H026C3P	AN00001	90:02:a9:6c:ae:
			N				
	Device Search		dd			Filter (None
	Added Device						
	Channel	Modity	Delete	Status	IP Address	Port	Device Name
	1	1	×	0	172.16.17.106	37777	HCVR
	2	1	×	0	172.16.17.180	37777	PZC4LA048V
	3	1	×	0	172.16.17.67	37777	PZC4MW201
	4	1	*	0	172.16.17.181	37777	PZC4GW643
	5	1	×	0	172.16.17.17	37777	PZC4LW155V
	6	1	×	0	172.16.17.149	37777	1M01596PAV
			1	10 × 4	2 Contraction of the local division of the	1000000	
	Permising/Tet	al Bancha	Albo 172	77Mbme (9)	10Millione		
	invinairiing 1			i mupsee	inimp's		
	Delete	Manual	Add		(Sma) (Cancal	Annh)
					(Save) [cancer	(Abbia)

Input IP address of IP Camera, user name and password. Default user name and password is admin.

Channel 6 Manufacturer Private IP Address 192.168.0.0 TCP Port 37777 User Name admin Password ••••• Decode Butter Detault Remote Channel No. 1		Manual Add
Channel 6 Manufacturer Private IP Address 192.168.0.0 TCP Port 37777 User Name admin Password Octoo Decode Buffer Default Remote Channel No. 1		
Manufacturer Private IP Address 192.168.0.0 TCP Port 37777 User Name admin Password	Channel	6
IP Address 192.168.0.0 TCP Port 37777 User Name admin Password Image: Control of C	Manufacturer	(Private •)
TCP Port 37777 User Name admin Password Decode Buffer Detault © Remote Channel No. 1	IP Address	(192.168.0.0
User Name admin Password ••••• Decode Buffer Detault • Remote Channel No. 1	TCP Port	(37777
Password Decode Butter Detault Remote Channel No.	User Name	(admin
Decode Buffer Default Remote Channel No. 1	Password	(*****
Remote Channel No. (1	Decode Butter	(Detault)
Save	Remote Channel No.	
Save		N
Save		
Save		
Save Cancel		
Save Cancel		
		Save Cancel

Depending on the model recorder you can also do a smart search from the main sub menu.

	and the second	- 14
(All and a second		
ALL STREET		
	 View 1 View 4 View 8 View 9 PTZ Auto Focus Image Search Manual 	
0	Smart Add	
	☆ Main Menu	NA.
	Smart Add	
172.16.17.165	172.16.17.81	
172.16.17.165	172.16.17.81	
172.16.17.165	172.16.17.81	
172.16.17.165	172.16.17.81	
172.16.17.165	172.16.17.81	
TT2.16.17.165	172.16.17.81	