

---

## 720TVL HDIS Mobile Camera



### Features


- 1/3" HDIS
- High resolution of 720TVL
- AWB, AGC, BLC
- 2.1mm fixed lens
- Aviation connector, shock-proof
- IP67, DC12V

## Technical Specifications

<b>Model</b>	
<b>Camera</b>	
Image Sensor	1/3" HDIS
Effective Pixels	976(H)×496(V)
Horizontal Resolution	720TVL
Electronic Shutter	1/50s~1/10,000s
Synchronization	Internal
Min. Illumination	0.05Lux@F1.2(AGC ON)
S/N Ratio	>65dB(AGC Off)
Video Output	1Vp-p Composite Output (75Ω/Aviation connector)
<b>Camera Features</b>	
Day/Night	Color
Backlight Compensation	Auto
White Balance	Auto
Gain Control	Auto
<b>Lens</b>	
Focal length	2.1mm fixed lens
Angle of View	H: 136°
Mount Type	M12
<b>General</b>	
Power Supply	DC12V±10%
Power Consumption	Max 1W
Working Environment	-40°C~+60°C / Less than 90%RH
Dimensions	Φ28mm×44.6mm
Weight	0.08kg

---

## Dimensions (mm)



---

### **Dahua Technology Co., Ltd.**

1199 BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: [overseas@dahuatech.com](mailto:overseas@dahuatech.com)

[www.dahuatech.com](http://www.dahuatech.com)